FLAVEL

At the heart of your home

Gas Fires
2026/27

5 YEAR FLAVEL WARRANTY

BRITISH MANUFACTURING



Welcome to Flavel

At the heart of your home

BFM Europe
BRITISH FIRE MANUFACTURERS

Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and service. Every Flavel branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



At Flavel, we understand the importance of creating a stylish and relaxing living space. That's why we've designed this affordable collection of gas fires to suit all tastes and lifestyles. Our success comes from combining innovative design, advanced technology, and top-quality manufacturing standards. With this confidence, all Flavel gas fires come with a 5-year warranty, reflecting our commitment to quality and durability.

This brochure has been designed to make the purchase of your new Flavel gas fire as simple as possible. I hope you will find it both informative and inspiring.

5 YEAR FLAVEL WARRANTY

Flavel gas fires carry a 5 year warranty, subject to terms and conditions.

Ecodesign Compliant

Flavel products are fully compliant with the Eco design directive Commission Regulation (EU) 2015/1188.

bsi. Product Testing & Certification

All our gas fires are independently tested, approved and verified by the British Standards Institution (BSI) to meet the latest standards for performance, safety and efficiency.

The BSI is an independent organisation. They are not owned by the government, industry or shareholders, which means that they can be totally objective with regards testing and certification. This gives their assessments more authority than those of an organization that has a vested interest in promoting its members.

They have some of the most experienced and knowledgeable staff in the world and are recognised internationally for their technical expertise, quality services and in-depth knowledge of gas and electrical testing and certification.

The wide-ranging capability of their testing facilities and the broad expertise and knowledge of their testing and certification staff ensures our products are rigorously tested with the utmost integrity.

UK CA CE

Tested & Approved
Conforms to GB legislation

Contents

Guide to efficiencies and fire types 6-7
Before you Begin - guide to icons 8-9

highefficiency

Conventional Flue

Wall Inset – Glass Fronted
Rocco HE 10
Jazz HE 11
Windsor Contemporary HE 12

Wall Inset – Open Fronted
Windsor Contemporary Plus 13

Hearth Inset – Glass Fronted
Romance 14
Caress HE 16
Decadence HE 17
Kenilworth HE 18
Linear HE 19
Windsor Contemporary HE 20
Windsor Traditional HE 21

Hearth Inset – Open Fronted
Richmond Plus 22
Caress Plus 23
Calypso Plus 24
Rhapsody Plus 25
Decadence Plus 26
Linear Plus 27
Kenilworth Plus 28
Expression Plus 29
Windsor Contemporary Plus 30
Windsor Traditional Plus 31

Hearth Outset – Glass Fronted
Emberglow 32
Renoir 33

Hearth Outset – Open Fronted
Strata 34
Misermatic 35
Renaissance 36
Firenza 37
Regent 38


Rocco HE

Balanced Flue

Hearth Outset – Glass Fronted
Emberglow BF 32
Hearth Inset – Glass Fronted
Orchestra BF 39
Calibre BF 40


Calibre BF

standardfires

Conventional Flue

Hearth Inset – Open Fronted
Waverley 41
Windsor Contemporary, & Traditional 42

Wall Inset – Open Fronted
Windsor Contemporary Wall 43

Hearth Outset – Open Fronted
Regent LFE 44

Builders' Opening Sizes 45
Online inspiration 46



highefficiency

Get up to 93.5% energy efficiency from your gas fire…

Flavel is a British manufacturer with a reputation for excellent quality gas fires. Our R&D team continue to invest in developing new technology to produce gas fires that save energy and as a result, help to keep costs down.

The Flavel high efficiency range combines exceptional heat output with lower running costs compared to standard gas fires.

Conventional Flue

Glass Fronted



Our glass fronted high efficiency conventional flue fires have an energy efficiency of up to 86.3%. The glass panel across the front which concentrates radiant heat generated from the fuel bed and forces it directly into the room with less heat lost through the chimney. Convected heat is also produced by cool air drawn into the base of the fire through the heat exchanger and then emitted as warm air through the gap above the canopy, making these the most efficient conventional flue fires available.

Open Fronted



Our open fronted high efficiency conventional flue fires can reach an energy efficiency of up to 68.3%. These fires provide the look and feel of a real open fire providing both radiant and convected heat. Radiant heat is emitted from the coal effect fuel bed and the convected heat is generated by cool air drawn into the base of the fire which passes through a heat exchanger and is then emitted as warm air though the gap above the canopy.

Balanced Flue

Glass Fronted



Our glass fronted high efficiency balanced flue fires have an energy efficiency of up to 93.5%. Designed for those who want all the benefits of a gas fire but don't have a built in chimney or flue in their home, a balanced flue fire comes with its own flue terminal which is vented directly through an outside wall. They are glass fronted, completely room sealed appliances and work by drawing and venting external air via a pair of co-axial tubes into the fire for combustion purposes.

standardfires





Standard fires can achieve a direct heat output of up to 3.3kW. It is recommended that these products are not suitable for use as a primary heat source, but are ideal if you are looking for a great fireplace feature for occasional use.

Fires for every home

What type of Flavel fire will suit your home best?

From traditional to contemporary, slimline to full depth, we have models to suit all types of situation and installation. There is a Flavel fire to make anywhere feel like home.

Browse through the fire options below, then use the guide on page 8 to help you identify which type of chimney or flue you have. Every product page displays icons to identify flue suitability, fuel type, control options, and more.

Wall Inset



To complement a contemporary home choose a wall inset product, otherwise known as a hole-in-the-wall fire. We have models available for all chimney and flue types.

Hearth Inset



A hearth inset fire saves space as it is recessed into the chimney breast or flue. Available in a choice of slimline or full depth fuel beds, with balanced flue options for homes without a chimney or flue.

Hearth Outset



Set onto a hearth this type of fire takes a more prominent position in a room with some models offering the option of side windows so that the flame pattern can be seen from wider angles.

Before you begin

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. If you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney - Class 1 Flues

Apart from products designed for "no chimney" applications, all Flavel products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue - Class 2 Flues

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Flavel fires featuring this icon are only suitable for Pre-Cast flues conforming to BS EN 1858.

Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described on the left, then you will require a Balanced Flue.



Balanced Flue

Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Gas Supply

Your gas supply will either be natural gas or LPG, depending on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas.



LPG

LPG is the most popular alternative to natural gas.

Controls



Manual Control

A simple and discreet control system located behind the fire's trim or fret on inset fires and the bottom right side on outsets.



Slide Control

Convenient control that eliminates the necessity of bending down.



Top Control

A push down and twist ignition control located on the top of outset fires means you don't have to bend down to light the fire.



Remote Control

The remote control handset is used to light the fire as well as adjust the flame height and heat output.



Semi Remote Control

Light the fire using the manual control system then use the remote control handset to adjust the flame height and heat output.



Electronic Flame Control

Discreet easy access buttons are used to ignite the fire and adjust heat and flame height.



Remote Control with Thermostat

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. Thermostatic control function can also regulate room temperature.





Electronic Top or Side Control System

Both ignition and heat are controlled by a single rotary motion to light the fire. These easy to use controls are now available on our best selling radiant outsets. Requires an AA battery.



Coal



Pebble



Logs



Plain Black



Glossy Black Enamel



Ribbed Black



Chrome



Black

Rocco HE

This Highly efficient glass fronted hole-in-the-wall fire features a realistic log fuel effect and comes in a choice of chrome or black steel fabricated quality fascias. Black enamel interior lining as standard.



Specifications

Description: Full depth inset gas fire

Type of Heat: Radiant & Convected	Conventional
Useful energy efficiency	73.9%
Energy efficiency class	E
Fuel type	Natural gas
Direct heat output	3.6kW


Control type	Colour	Model Number
Remote	Chrome	FPHL21RN2
	Black	FPHL22RN2

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video

Dimensions

Rocco HE
A 621mm
B 921mm
C 516mm
D 306mm
E 728mm





Black

Jazz HE

This stunning glass fronted hole-in-the-wall fire has petite dimensions and a highly realistic log fuel effect. Jazz HE features a black enamel interior lining and high steel fabricated quality fascias.



Specifications

Description: Full depth inset gas fire

Type of Heat: Radiant & Convected	Conventional
Useful energy efficiency	81.4%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	3.2kW


Control type	Colour	Model Number
Remote	Chrome	FHCL21RN
	Black	FHCL22RN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video

Dimensions

Jazz HE
A 549mm
B 810mm
C 460mm
D 315mm
E 631mm





Chrome



Pebble fuel effect





Coal fuel effect

Windsor Contemporary HE

The Windsor Contemporary glass fronted high efficiency wall inset gas fire comes with the option of a coal or pebble fuel bed and features a large viewing window and chrome fascia. This extremely versatile fire will fit into almost any chimney or flue.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Model Number
Coal	Manual	FSHCHWMN
Pebble		FSHPHWMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video Pebble

Video Coal

Dimensions

A 671mm
B 512mm
C 550mm
D 125mm
E 327mm



Windsor Contemporary HE
with coal fuel effect

Windsor Contemporary Plus

The Windsor Contemporary wall inset gas fire is also available as an open fronted model featuring a large viewing window and chrome fascia. There is a choice of a coal or pebble fuel bed and this very versatile fire will fit into almost any chimney or flue.

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.8%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW

Fuel effect	Control type	Model Number
Coal	Manual	FSPCHWMN
Pebble		FSPPHWMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video Pebble

Video Coal

Dimensions

A 671mm
B 512mm
C 550mm
D 125mm
E 327mm



Windsor Contemporary Plus
with pebble fuel effect

Romance

Romance is an exceptionally stylish and impressive natural log fuel effect gas fire.
This glass fronted fire is available in two control options, remote, or manual, both delivering an exceptional heat output of 4.0kW, with a high efficiency rating upto 82.6%. The Romance is designed with a large clear glass window to provide wide-angle views of the lively full depth log burning fuel effect.

This stunning gas fire is further complemented with a choice of uniquely designed fascias, and are available in Black Nickel & Black, Black Nickel & Chrome, and Satin Silver & Chrome.



Black Nickel & Chrome



Satin Silver & Chrome

Specifications


Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Remote	Manual
Useful energy efficiency	82.6%	82.3%
Energy efficiency class	C	D
Fuel type	Natural gas	
Direct heat output	4.0kW	

Colour	Model Number	Model Number
Black Nickel & Chrome	FLBLBCRN	FLBLBCMN
Black Nickel & Black	FLBLNBRN	FLBLNBMN
Satin Silver & Chrome	FLBLSCRN	FLBLSCMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions



A 497mm
B 598mm
C 547mm
D 253mm
E 400mm

2 inch black spacer available on this product. Part no. 1200-1017681P

Ecodesign Compliant



Black Nickel & Black

Video

Brick Chimney | Pre-Fabricated | Natural Gas | Manual | Thermostatic Remote | Logs | Ribbed Black


Brass


Chrome

Caress HE

The Caress HE glass fronted gas fire features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. It features a heat output of up to 4kW and an energy efficiency of up to 86.3%.

Specifications

Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

Useful energy efficiency		86%	
Energy efficiency class		C	
Fuel type		Natural gas	
Direct heat output		3.9kW	
		Contemporary	Traditional
Control type	Colour	Model Number	
Slide	Brass		FHEC41SN
	Chrome	FHEC6RSN	
Remote	Brass		FHEC11RN2
	Chrome	FHEC3RRN2	

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally


Video Traditional

Video Contemporary

Brick Chimney | Pre-Fabricated | Natural Gas | Slide | Remote | Coal | Plain Black

Dimensions

A 615mm
B 510mm
C 550mm
D 230mm
E 400mm




Chrome

Decadence HE

The Decadence HE high efficiency glass fronted gas fire with an energy efficiency of 84.3%. It is available in a choice three beautiful high quality cast iron fascias - gold, chrome or black nickel plated finishes.

Specifications

Description: Full depth inset gas fire
Type of Heat: Radiant & Convected

	Remote
Useful energy efficiency	84.3%
Energy efficiency class	C
Fuel type	Natural gas
Direct heat output	3.4kW
Gold	FHKCDBRN3
Chrome	FHKCDCRN3
Black Nickel	FHKCDNRN3


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video

Brick Chimney | Pre-Fabricated | Natural Gas | Thermostatic Remote | Coal | Plain Black

Dimensions

HE
A 631mm
B 529mm
C 550mm
D 180mm
E 365mm




Gold


Black nickel



Black

Kenilworth HE

The Kenilworth gas fire features a welcoming full depth coal fuel effect and will fit most chimney and flue types including a pre-cast flue with a 3" rebate on the fire surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

	Manual	Remote
Useful energy efficiency	84.3%	84.3%
Energy efficiency class	D	C
Fuel type	Natural gas	Natural gas
Direct heat output	3.4kW	3.4kW

Colour	Model Number	
Brass	FHKC14MN2	FHKC14RN3
Black	FHKC26MN2	FHKC26RN3
Chrome	FHKC37MN2	FHKC37RN3

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link

Dimensions

2 inch black spacer available on this product. Part no. B-I003890



Brass



Chrome

Linear HE

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This full depth gas fire delivers a wonderful flickering glow and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	84.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	3.4kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FHLCX0MN2

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link



Dimensions



2 inch black spacer available on this product. Part no. B-I003890

Windsor Contemporary HE

Stunning styling makes the Windsor Contemporary glass fronted high efficiency gas fire the centrepiece of your room. This slimline model will fit almost any chimney or flue, including pre-cast (BS EN 1858), and comes with a smart chrome fascia.



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSHCU0MN
Pebble		Chrome	FSHPU0MN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video
Pebble

Video
Coal

Dimensions

A 592mm
B 475mm
C 550mm
D 125mm
E 327mm





Chrome with Pebble

Windsor Traditional HE

The Windsor Traditional HE glass fronted gas fire offers exceptional heat output of 2.9kW with an energy efficiency of 81.3% and is available in manual or slide control.



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	81.3%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	2.9kW


Control type	Colour	Model Number
Manual	Brass	FSHC11MN
	Chrome	FSHC3JMN
Slide	Brass	FSHC11SN2
	Chrome	FSHC3JSN2

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video

Dimensions

A 592mm
B 475mm
C 550mm
D 125mm
E 327mm





Chrome



Brass

Richmond Plus

Achieve the look of a real open coal fire, combined with the convenience of gas. This full depth convector fire combines a brilliant flame effect with high efficiency and outstanding warmth, and features a traditional trim and fret arrangement finished in black, chrome or brass.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Richmond Plus

Useful energy efficiency	66.7%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.1kW

	Model Number		
Colour	Manual	Slide	Remote
Brass	FOPC12MN	FOPC12SN	FOPC12RN2
Black	FOPC23MN	FOPC23SN	FOPC23RN2
Chrome	FOPC37MN	FOPC37SN	FOPC37RN2

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link

Dimensions

Chrome

Black



Contemporary Chrome

Caress Plus

The Caress Plus features an authentic looking coal fuel effect, and stylish trim and fret in a choice of Traditional or Contemporary styling in solid cast brass or chrome cast iron. The Caress Plus open-fronted model has been designed to provide an energy efficiency of 68.3% and a heat output at 4.2kW. Each model is available in a range of control options.

Specifications

Description: Mid and full depth inset gas fire Type of Heat: Radiant & Convected

Caress Plus

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

		Contemporary	Traditional
Control	Colour	Model Number	
Manual	Brass		FKPC11MN
	Chrome	FKPC3RMN	
Slide	Brass	FKPC45SN	FKPC41SN
	Chrome	FKPC6RSN	FKPC6JSN
Remote	Brass		FKPC11RN2
	Chrome	FKPC3RRN2	

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video Contemporary

Video Traditional

Dimensions

†Pre-cast flue on Caress Plus models.

Traditional Brass



Calypso Plus

The Calypso Plus successfully combines exceptional fire design with today's necessity for convenience in the form of a user friendly dual directional slide control. This fire will be equally at home in a contemporary or traditional fire surround and room setting.



Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%	67%
Energy efficiency class	F	F
Fuel type	Natural gas	LPG
Direct heat output	4.2kW	4.2kW


Control	Colour	Model Number	
Slide	Chome	FKPCCCSN	FKPCCCSP

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions

†Pre-cast flue on Calypso Plus models.

Calypso Plus
A 605mm
B 491mm
C 548mm
D 170mm
E 365mm



Web Link

Rhapsody Plus

The classic Rhapsody Plus open fronted fire has a very realistic deep fuel effect and beautiful flame picture making it indisguisable from a real coal fire. With an elegant arched trim and striking fret they are a timeless classic.



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected


Useful energy efficiency	68.3%	67%
Energy efficiency class	F	F
Fuel type	Natural gas	LPG
Direct heat output	4.2kW	4.2kW

Control	Colour	Model Number	
Slide	Black	FKPCBLSN	FKPCBLSP
	Chrome	FKPCSLSN	FKPCSLSP

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Dimensions

Rhapsody Plus
A 605mm
B 491mm
C 548mm
D 170mm
E 365mm





Black

Web Link


Black nickel

Decadence Plus

The Decadence Plus is a striking open fronted coal effect gas fire which features a choice of three beautiful high quality cast iron fascias available in a choice of gold, chrome or black nickel plated finishes.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW


Control type	Colour	Model Number
Slide	Gold	FKPCDBSN
	Chrome	FKPCDCSN
	Black Nickel	FKPCDNSN
Remote	Gold	FKPCDBRN2
	Chrome	FKPCDCRN2
	Black Nickel	FKPCDNRN2

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video

Dimensions

A 631mm
B 529mm
C 550mm
D 170mm
E 365mm




Gold

Chrome

Linear Plus

The Linear is a stunning modern design with the combination of black ribbed back panels and chrome fascia. This deep fuelbed gas fire delivers a wonderful flame effect and can be installed into almost any chimney or flue including a pre-cast flue with a 3" rebated surround.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Fuel Effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FKPCU0MN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video



Dimensions

A 595mm
B 483mm
C 548mm
D 170mm
E 365mm



2 inch black spacer available on this product. Part no. B-1003890
Spacer not suitable with cast iron trims or fascias.



Brass with Blenheim fret

Kenilworth Plus

The Kenilworth gas fire features a welcoming deep coal fuel effect that will fit most chimney and flue types including a pre-cast flue with a 3"rebate on the fire surround.

Specifications


Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Control type	Colour	Model Number
Manual	Brass	FKPC14MN
	Chrome (Grace)	FKPC37MN
	Black	FKPC26MN
Slide	Brass	FKPC14SN
	Chrome (Grace)	FKPC37SN
	Black	FKPC26SN
Remote	Brass	FKPC14RN2
	Chrome (Grace)	FKPC37RN2
	Black	FKPC26RN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link



Dimensions

A 595mm
B 500mm
C 548mm
D 170mm
E 365mm



2 inch black spacer available on this product. Part no. B-1003890



Black with Blenheim fret



Chrome with Grace fret



Expression Plus

The Flavel Expression Plus high efficiency gas fire boasts an impressive 68.3% Energy efficiency and can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a coal fuel effect and comes with a contemporary chrome one-piece fascia. This fire is available with manual control, slide control, or fully automatic remote control.

Specifications

Description: Mid depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	68.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.2kW

Control type	Colour	Model Number
Slide	Chrome	FKPCEPSN
Remote	Chrome	FKPCEPRN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video



Dimensions

A 599mm
B 500mm
C 550mm
D 170mm
E 365mm



2 inch black spacer available on this product. Part no. B-1003890



Chrome with coal fuel effect

Windsor Contemporary Plus

Stunning styling makes the Windsor Contemporary Plus the centrepiece of your room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858) and achieves an impressive 66.8% energy efficiency with a 4.0kW heat output.

Brick Chimney | Pre-Fabricated | Pre-Cast | Natural Gas | Manual | Coal | Pebble | Plain Black

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.8%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW

Fuel Effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSPCU0MN
Pebble		Chrome	FSPPU0MN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video
Pebble

Video
Coal

Dimensions

A 592mm
B 475mm
C 548mm
D 120mm
E 324mm





Pebble fuel effect



Windsor Traditional Plus

The Windsor Traditional Plus is an open fronted high efficiency gas fire combining an exceptional heat output of 4.0kW and an energy efficiency of 66.8%. This fire is perfect for homes where a more traditional styling is needed to complement the décor.

Brick Chimney | Pre-Fabricated | Pre-Cast | Natural Gas | Manual | Coal | Plain Black

Specifications

Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	66.8%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	4.0kW


Control type	Colour	Model Number
Manual	Brass	FSPC11MN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video

Dimensions

A 592mm
B 475mm
C 548mm
D 120mm
E 324mm



Emberglow

The Emberglow high efficiency gas fire features an elegant design with high quality cast iron canopy and fire front. Front and side windows allow the flames can be seen from all angles. The main image represents the natural gas model. The flame picture may differ on LPG model.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

	ES	Remote	ES	Remote
	Conventional			Balanced
Useful energy efficiency	78.7%	81.6%	82.2%	86.9%
Energy efficiency class	E	D	D	C
Fuel type	Natural gas		LPG	Natural gas
Direct heat output	4.2kW	4.4kW	4.2kW	4.3kW
Model Number				
	FEMC00EN	FEMC00RN2	FEMC00EP	FEBC00RNB

Safety: Flame Supervision Device & Airwatch System
(not applicable to balanced flue model)
Air vent required: Not normally


Video CF

Video BF


Brick Chimney · Pre-Fabricated · Pre-Cast · Balanced Flue · Natural Gas · LPG · Thermostatic Remote · Electronic Side · Coal · Plain Black

Dimensions

Emberglow
A 716mm
B 673mm
C 330mm



Emberglow Balanced Flue
A 716mm
B 673mm
C 330mm
D 153mm
E 110mm
F 260mm min -660 max





Balanced Flue Model

Renoir

The Renoir outset living flame effect gas fire features a beautiful flickering flame effect and is operated by an electronic side control system to make it much easier to ignite the fire. This classically designed fire has an impressive heat output of up to 4.4kW and energy efficiency of up to 81.6%.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant & Convected

	ES	Remote
Useful energy efficiency	78.7%	81.6%
Energy efficiency class	E	D
Fuel type	Natural gas	Natural gas
Direct heat output	4.2kW	4.4kW

Colour	Model Number	
Black	FRECN0EN	FRECN0RN2
Bronze	FRECR0EN	FRECR0RN2


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link

Brick Chimney · Pre-Fabricated · Pre-Cast · Natural Gas · Thermostatic Remote · Electronic Side · Coal · Plain Black

Dimensions

A 703mm
B 684mm
C 324mm





Bronze

Strata

The Strata offers an incredible energy efficiency of 82% and 5.2kW heat output. It has a stylish contemporary look with soft, curved lines and is available in a choice of three colour options. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	82%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	5.2kW

Control type	Colour	Model Number
Electronic Top	Black	FORSBLEN
	Brown	FORSB0EN
	Cream	FORSC0EN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video



Dimensions

A 530mm
B 715mm
C 210mm
D 100mm
E 60mm




Brown


Cream

Misermatic

Incredible 82% energy efficiency and adaptability; the Misermatic has them both. Available in a range of wood finishes, this fire can be wall or hearth mounted with an easily accessible top mounted control. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	82%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	5.2kW

Control type	Colour	Model Number
Electronic Top	Mahogany	FORMM0EN
	Teak	FORMT0EN
	Light Oak	FORML0EN
	Medium Oak	FORMN0EN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Video



Dimensions

A 515mm
B 800mm
C 200mm
D 100mm
E 60mm




Light Oak


Medium oak


Mahogany



Black

Renaissance

The Renaissance provides a natural talking point the moment you enter the room. Its stylish retro design is matched by its forward thinking simplicity of installation, impressive 5.2kW heat output and astounding 82% energy efficiency. Can be wall mounted.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	82%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	5.2kW

Control type	Colour	Model Number
Electronic Top	Silver	FORRS0EN
	Black	FORRB0EN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link



Dimensions

A 652mm
B 730mm
C 200mm
D 37mm
E 60mm





Silver



Black

Firenza

The compact and economical Firenza can be wall or hearth mounted and has an energy efficiency of 80.1%. The control handle is located on the top panel for ease of use.

Specifications

Description: Slimline outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	80.1%
Energy efficiency class	D
Fuel type	Natural gas
Direct heat output	3.8kW

Control type	Colour	Model Number
Top	Black	FFIRZ1MN
	Bronze	FFIRR0MN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link



Dimensions

A 658mm
B 506mm
C 222mm





Bronze


Black


Satin silver

Regent

One of the most popular radiant fires in the UK, the Regent features a slim design and has an energy efficiency of 74%. The Regent is available in a choice of black or bronze finishes and is operated by electronic side control.

Specifications


Description: Full depth outset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	74%
Energy efficiency class	E
Fuel type	Natural gas
Direct heat output	4.5kW

Control type	Colour	Model Number
Electronic Side	Black	FRGCN0EN
	Bronze	FRGCP0EN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link



Dimensions

A 680mm
B 710mm
C 255mm




Regent in bronze

Orchestra BF

If you want the warmth and mood created by a living flame fire yet don't have a chimney or flue, then the Orchestra is the perfect solution. This neat, glass fronted inset fire with an energy efficiency of 80% is framed by a chamfered trim and sleek fret.

Specifications


Description: Slimline inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	80%
Energy efficiency class	E
Fuel type	Natural gas
Direct heat output	2.7kW

Control type	Colour	Model Number
Manual	Satin Silver	FBFN98G
	Brass	FBFN76G


Safety: Flame Supervision Device
Air vent required: Not normally

Web Link



Dimensions

A 620mm
B 470mm
C 580mm
D 125mm
E 95mm
F 435mm
G 675mm max
- 130mm min*
H 400mm
I 145mm



3 inch black spacer available on this product. Part no. 70-35890P


Orchestra BF in brass



Brass

Ecodesign Compliant

Calibre BF

The Calibre Balanced Flue gas fire boasts an energy efficiency of 93.5% and features a full depth coal fuel effect. This glass fronted fire has an exceptionally large viewing area and is available in a choice of brass or chrome.

Specifications

Description: Full depth inset gas fire Type of Heat: Radiant & Convected

Useful energy efficiency	93.5%
Energy efficiency class	B
Fuel type	Natural gas
Direct heat output	3.9kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Brass	FBFC1SMN2
		Chrome	FBFC37MN2
	Remote	Brass	FBFC1SRN3
		Chrome	FBFC37RN3

Safety: Flame Supervision Device
Air vent required: Not normally

Video

Dimensions

A 595mm
B 500mm
C 551mm
D 185mm
E 120mm
F 423mm
G 625mm max
- 285mm min*
H 415mm
I 150mm

2 inch black spacer available on this product. Part no. 1126-1036286B



Chrome


Waverley

The Waverley, with its beautiful decorative flame effect, is a perfect replacement for a solid fuel grate. The 16" tapered inset tray is designed to fit a standard 16" fire back, providing a realistic coal effect for almost any style of fireplace.



Dimensions

A 350mm
B 205mm
C 230mm



Specifications

Description: Full depth inset tray Type of Heat: Radiant

Fuel type	Natural gas
Direct heat output	2.7kW

Control type	Model Number
Manual	FITC00MN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally
This product is not suitable for primary heating purposes

Web Link

Windsor Contemporary, & Traditional

The versatile styling of the Windsor gas fires ensures that there is a style to suit any room. This slimline gas fire will fit almost any chimney or flue, including pre-cast (BS EN 1858).



Windsor Contemporary
Chrome fascia
Pebble fuel effect



Windsor Contemporary with
Chrome fascia
Coal fuel effect



Windsor Traditional
Chrome trim and fret
Coal fuel effect



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant

Fuel type	Natural gas
Direct heat output	2.7kW

Windsor Contemporary

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSRCU0MN
Pebble		Chrome	FSRPU0MN


Windsor Traditional

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Brass	FSRC1PMN
		Chrome	FSRC3JMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally
This product is not suitable for primary heating purposes

Dimensions

Windsor Contemporary	Windsor Traditional
A 592mm	A 592mm
B 475mm	B 475mm
C 550mm	C 550mm
D 120mm	D 120mm
E 329mm	E 329mm



This product comes with a standard 1 inch black spacer, or can be replaced with a 2 inch black spacer available on Part no. 1146-1036278B

Web Link



Coal fuel effect



Windsor Traditional
Brass trim and fret
Coal fuel effect

Windsor Contemporary Wall

The Windsor Wall inset open fronted gas fire is available in a choice of coal or pebble fuel bed and features a large viewing window. This extremely versatile fire will fit into almost any chimney or flue and comes in a chrome finish.



Specifications

Description: Slimline inset gas fire Type of Heat: Radiant


Fuel type	Natural gas
Direct heat output	2.7kW

Fuel effect	Control type	Colour	Model Number
Coal	Manual	Chrome	FSRCHWMN
Pebble			FSRPHWMN

Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally
This product is not suitable for primary heating purposes.

Dimensions

A 671mm
B 512mm
C 550mm
D 120mm
E 329mm





Windsor Contemporary Wall
Chrome fascia
Pebble fuel effect

Video
Pebble

Video
Coal



Black

Ecodesign Compliant

Regent LFE

One of the most popular radiant fires in the UK, The Regent LFE is slim for a neat fit into an existing fireplace and is highly efficient. It provides radiant and convected heat and is an elegant interpretation of the Regency period.

Specifications

Description: Full depth outset gas fire Type of Heat: Radiant

Useful energy efficiency	59.3%
Energy efficiency class	F
Fuel type	Natural gas
Direct heat output	3.3kW

Control type	Colour	Model Number
Electronic Side	Black	FRLCN0EN
	Bronze	FRLCP0EN


Safety: Flame Supervision Device & Airwatch System
Air vent required: Not normally

Web Link

Brick Chimney | Pre-Fabricated | Pre-Cast | Natural Gas | Electronic Side | Coal | Plain Black

Dimensions

A 680mm
B 710mm
C 255mm





Bronze

Builders Opening Sizes

Product	Minimum Opening Width	Maximum Opening Width	Minimum Opening Height	Maximum Opening Height
Calibre BF	415mm	420mm	563mm	570mm
Calypso Plus	370mm	440mm	550mm	570mm
Caress HE	400mm	450mm	550mm	570mm
Caress Plus	370mm	440mm	550mm	570mm
Caress Slimline	330mm	440mm	550mm	575mm
Decadence HE	370mm	450mm	550mm	570mm
Decadence Plus	370mm	440mm	550mm	570mm
Emberglow	305mm	440mm	500mm	650mm
Expression Plus	370mm	440mm	550mm	570mm
Firenza	305mm	440mm	510mm	650mm
Jazz HE	650mm	660mm	460mm	470mm
Kenilworth HE	370mm	450mm	550mm	570mm
Kenilworth Plus	370mm	440mm	550mm	570mm
Linear HE	370mm	450mm	550mm	570mm
Linear Plus	370mm	440mm	550mm	570mm
Misermatic	305mm	440mm	580mm	650mm
Orchestra BF	410mm	420mm	555mm	565mm
Regent	305mm	440mm	470mm	650mm
Regent LFE	305mm	440mm	525mm	650mm
Renaissance	305mm	440mm	580mm	650mm
Renoir	305mm	440mm	500mm	650mm
Richmond	400mm	450mm	550mm	570mm
Richmond Plus	400mm	450mm	550mm	570mm
Rocco HE	750mm	760mm	520mm	530mm
Romance	400mm	450mm	550mm	570mm
Strata	305mm	440mm	580mm	650mm
Waverley*	400mm	440mm	550mm	575mm
Waverley**	560mm	600mm	690mm	720mm
Windsor	330mm	440mm	550mm	575mm
Windsor HE	330mm	440mm	550mm	575mm
Windsor Plus	330mm	440mm	550mm	575mm

*when fitted into standard builders opening with existing chair-brick
**when fitted with “Victorian” style casting

Online Inspiration & Information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting and servicing your Flavel fire.

* Search tools to find your perfect gas fire
* Watch videos of our stunning fires
* Download Installation and User manuals
* Find your nearest Flavel Approved Stockist
* Register your warranty



www.flavelfires.co.uk

Visit our Flavel website on your smart phone or tablet device, just scan in this QR code.

WARNING BFM Europe Limited is a Gas Safe Registered company.

We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase.
Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.
Photography is for illustration purposes only, every effort has been made to ensure accurate reproduction of typical installations, however flame pictures may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.
We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.
In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present.
(This brochure is copyright and must not be reproduced in whole or in any part without prior written permission).

www.flavelfires.co.uk

We would like to thank Kedleston Heating (01332 200303), Olde England Reproductions (01782 319350), Stanningley Firesides (0113 257 1512) and GB Mantles (01924 473243) for contributing fire surrounds to this brochure.

FLAVEL

At the heart of your home

BFM Europe Limited, Trentham Lakes, Stoke-on-Trent, Staffordshire ST4 4TJ.
Tel: 01782 339000. www.flavelfires.co.uk e-mail: sales@bfm-europe.com

Issue No. 46